

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 12/18/2024

Reviewed on 12/18/2024

1 Identification • Product identifier • Trade name: Liquid Polish (Color Varies) • Article number: K-59 • Details of the supplier of the safety data sheet • Manufacturer/Supplier: Kaady Chemical Corp. • 45 OW CORPINO ON EDETAL OT OTE 100

Kaady Chemical Corp. 2545 SW SPRING GARDEN ST STE 120 PORTLAND, OR 97219 +1-510-562-9788 www.kaadychemical.com

• Information department: Product safety department • Emergency telephone number: CHEMTREC 800-424-9300 ACCT# 12158

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

· Label elements

• **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS). • **Hazard pictograms**



Signal word Warning
Hazard statements

Causes skin and eye irritation.

Precautionary statements

Wash thoroughly after handling.
Wear protective gloves.
If on skin: Wash with plenty of water.
Specific treatment (see on this label).
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
If eye irritation persists: Get medical advice/attention.

(Contd. of page 1)

<10%

Safety Data Sheet acc. to OSHA HCS

Printing date 12/18/2024

Reviewed on 12/18/2024

Trade name: Liquid Polish (Color Varies)

Classification system:
NFPA ratings (scale 0 - 4) Health = 1 Fire = 0 Reactivity = 0
HMIS-ratings (scale 0 - 4) Health = 1 Fire = 0 Reactivity = 0
Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

- [•] Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

67-63-0 propan-2-ol

• Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of 1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eyes for at least several minutes under running water.

If easy to do so, remove contact lenses if worn.

If eye irritation persists, see medical advice.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

115

Page 3/10

Safety Data Sheet acc. to OSHA HCS

Printing date 12/18/2024

Reviewed on 12/18/2024

Trade name: Liquid Polish (Color Varies)

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with the skin or eyes.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes, skin and clothing. Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections

BAG (

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

67-63-0	propan-2-ol	400 ppm
100-52-7	benzaldehyde	4 ppm
141-78-6	ethyl acetate	1,200 pp
10043-52-4	calcium chloride	12 mg/m
56-81-5	glycerol	45 mg/m
140-11-4	benzyl acetate	30 ppm
628-63-7	pentyl acetate	100 ppm
PAC-2:		
67-63-0	propan-2-ol	2000* pp
100-52-7	benzaldehyde	9.9 ppm
141-78-6	ethyl acetate	1,700 pp
10043-52-4	calcium chloride	130 mg/r
56-81-5	glycerol	180 mg/r
140-11-4	benzyl acetate	330 ppm
628-63-7	pentyl acetate	670 ppm
PAC-3:		
	propan-2-ol	12000** pp

Printing date 12/18/2024

Reviewed on 12/18/2024

Trade name: Liquid Polish (Color Varies)

100-52-7	benzaldehyde	(Contd. of page 3) 59 ppm
141-78-6	ethyl acetate	10000** ppm
10043-52-4	calcium chloride	790 mg/m³
56-81-5	glycerol	1,100 mg/m ³
140-11-4	benzyl acetate	2,000 ppm
628-63-7	pentyl acetate	4000* ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

All ventilation should be disigned in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

PEL	Long-term value: 980 mg/m ³ , 400 ppm	
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm	
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4	
Ingr	edients with biological limit values:	
67-6	3-0 propan-2-ol	
BEI	40 mg/L	
	Medium: urine	
	Time: end of shift at end of workweek	
	Parameter: Acetone (background, nonspecific)	

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/18/2024

Reviewed on 12/18/2024

Trade name: Liquid Polish (Color Varies)

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of guality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection:



Tightly sealed goggles

Information on basic physical and General Information Appearance:	chemical properties	
Form:	Liquid	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	7-8	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	82 °C (179.6 °F)	
Flash point:	Not applicable.	



Printing date 12/18/2024

Reviewed on 12/18/2024

Trade name: Liquid Polish (Color Varies)

		(Contd. of page
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	425 °C (797 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density (Specific Gravity):	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	-* %	
Water:	PROPRIETARY %	
VOC content:	-* %	
	-*	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Page 6/10



Printing date 12/18/2024

Reviewed on 12/18/2024

Trade name: Liquid Polish (Color Varies)

(Contd. of page 6)

Page 7/10

11 Toxicological information

· Information on	toxicological	effects
------------------	---------------	---------

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-63-0 propan-2-ol

•	•	
Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rabbit)
	1. <u> </u>	

Inhalative LC50/4 h 30 mg/l (rat)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: *Irritant*

· Carcinogenic categories

· IARC (Int	ernational Agency for Research on Cancer)	
67-63-0	propan-2-ol	3
140-11-4	benzyl acetate	3
97-53-0	Eugenol	3
· NTP (Nat	ional Toxicology Program)	
None of th	he ingredients is listed.	
· OSHA-Ca	a (Occupational Safety & Health Administration)	
None of th	he ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes: Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)



Printing date 12/18/2024

KAADY CHEMICAL

The Science of Cleaning[®]

Reviewed on 12/18/2024

Trade name: Liquid Polish (Color Varies)

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number	non regulated
· UN proper shipping name	non regulated
· Transport hazard class(es)	non regulated
· Packing group	non regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<i>II of</i> <i>Not applicable.</i>
· UN "Model Regulation":	not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol


· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

(Contd. on page 9)



Page 8/10

(Contd. of page 7)

us -

(Contd. of page 8)

A4

A4

Safety Data Sheet acc. to OSHA HCS

Printing date 12/18/2024

Reviewed on 12/18/2024

Trade name: Liquid Polish (Color Varies)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

67-63-0 propan-2-ol

140-11-4 benzyl acetate

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



- · Signal word Warning
- Hazard statements

Causes skin and eye irritation.

Precautionary statements

Wash thoroughly after handling.

Wear protective gloves. If on skin: Wash with plenty of water.

Specific treatment (see on this label).

Specific treatment (see on this label)

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally (Contd. on page 10)



Printing date 12/18/2024

Reviewed on 12/18/2024

Trade name: Liquid Polish (Color Varies)

	alid contractual relationship. It is the responsibility of the user to determine applicability of this information and the uitability of the material or product for any particular purpose.
D	epartment issuing SDS: Environment protection department.
С	ontact: -
D	ate of preparation / last revision 12/18/2024 / -
	bbreviations and acronyms:
	NECS: European Inventory of Existing Commercial Chemical Substances
	LINCS: European List of Notified Chemical Substances
C,	AS: Chemical Abstracts Service (division of the American Chemical Society)
N	FPA: National Fire Protection Association (USA)
H	MIS: Hazardous Materials Identification System (USA)
	OC: Volatile Organic Compounds (USA, EU)
	C50: Lethal concentration, 50 percent
	D50: Lethal dose, 50 percent
	BT: Persistent, Bioaccumulative and Toxic
	PvB: very Persistent and very Bioaccumulative
	IOSH: National Institute for Occupational Safety
	SHA: Occupational Safety & Health _V: Threshold Limit Value
	EL: Permissible Exposure Limit
	EL: Recommended Exposure Limit
	El: Biological Exposure Limit
	kin Irrit. 2: Skin corrosion/irritation – Category 2
	ye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
	Data compared to the previous version altered.

Page 10/10